


# Tower (L)

Tower is a highly effective free-standing acoustic absorber. Its acoustic properties allow you to reduce the number of other absorbers to achieve a balanced acoustic environment. Tower is extremely light and easy to rearrange. Its „grandness” is a perfect design addition to any conference room or open-space office.

## DIMENSIONS

---




## Technical

Tower has a simple, yet ingenious construction.


It's made from a specialistic melamine foam, upholstered in fabric of your choice. To enhance stability and protect from damage, it has a stand in lightweight aluminium.

Thanks to a very high accumulation of sound absorbing material, Tower has unprecedented sound absorbing results. It is certified as class A absorber. Use it on its own or combine it with HUSH wall or ceiling panels to create a pleasant acoustic environment in any room.



**A** - Fabric

**B** - Basotect®  
melamine foam



**A** - Tower 2m  
 $\alpha_w = 1.00$  (class **A**)

**B** - Tower 1m  
 $\alpha_w = 1.00$  (class **A**)

# FINISHES

## Evo

Martindale: 150,000

Fire Rating: EN1021 Parts 1&2

Weight: 300g/m2

Material: 100% polyester




## Sprint

Martindale: 170,000

Fire Rating: EN1021 Parts 1&2

Weight: 328g/m2

Material: 100% Polyester




## Synergy

Martindale: 100,000


Fire Rating: EN1021 Parts 1&2

Weight: 400g/m2

Material: 95% Wool, 5% PA



Available variants:



Tower High Standing Acoustic Column



Tower Low Standing Acoustic Column